No.



9900091

THE UNITED STATES OF AMERICA

TO ALL TOWHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

MICCOS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE GHI TO EXCLUDE OTHERS FROM SELLING THE VARIETY; OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ORLING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE; OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT OF BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'91B64'

In Cestimony Mexicol, I have herounto set my hand and caused the seal of the Plant Inticto Protection Office to be affixed at the City of Washington, D.C. this fifth day of Tebruary, in the year of our Lord two thousand one.

alankfort

Atling Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Dof Sgrivulture

-REPRODUCE LOCALLY. Include form number and date on	all reproductions.		<u> </u>	FORM APPROVI	ED - OMB NO. 0581-0055
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTIO			The following statements are mad 1974 (5 U.S.C. 552a).	e In accordance	with the Privacy Act of
APPLICATION FOR PLANT VARIETY PROTECTI	ON CERTIFICATE	E	Application is required in order to certificate is to be issued (7 U.S.C until certificate is issued (7 U.S.C.	. 2421). Informa	lant variety protection tion is held confidential
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)			2. EXPERIMENTAL NUMBER	3. VARIETY NA	AME .
Pioneer Hi-Bred International, Inc.				91B64	
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and	d Country)		5. TELEPHONE (include area code)	FOR O	FFICIAL USE ONLY
7300 NW 62nd Ave			515-270-3582	PVPO NUMBE	M00091
P.O. Box 1004			6, FAX (include area code)	F DATE	
Johnston, Iowa 50131-1004			515-253-2288	l 11 /	2-198
7. GENUS AND SPECIES NAME	8. FAMILY NAME	= (Botanica	<u> </u> }	G	D EXAMINATION FEE:
Glycine max L.	Leg	guminosae		F s 24;	⊙ <u>°°</u>
9. CROP KIND NAME (Common name)				SIVAIE	7-98
Soybean				E	
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGA	ANIZATION (corporation,	partnership, as:	oclation, etc.) (Common name)	C CERTIFICA	
Corporation 11. IF INCORPORATED, GIVE STATE OF INCORPORATION			40 DATE OF WOODBODATION		20
lowa			12. DATE OF INCORPORATION May 6, 1926	DATE /	[6]60
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	O SERVE IN THIS APPI	LICATION AN	RECEIVE ALL PAPERS	14. TELEPHON	E (include area code)
John Grace De. Daria Schmich 47 7300 NW 62nd Ave. 195	Jean F	Bromert (Co NW 62nd A		515-270-	3582
P.O. Box 1004		30x 1000	ve.	15. FAX (in	clude area code)
Johnston, Iowa 50131-1004	Johnst	ton, Iowa 5	0131-1000	515-253-	2288
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F	ollow instructions on a	reverse)			
a. Exhibit A. Origin and Breeding History of the Variety		,			
b. 🛩 Exhibit B. Statement of Distinctness					
c. 🗹 Exhibit C. Objective Description of the Variety					
d. Exhibit D. Additional Description of the Variety					
e. 🗹 Exhibit E. Statement of the Basis of the Applicant's Ownersh f. 🗹 Voucher Sample (2,600 viable untreated seeds or, for tuber p	•	rification tha	t tipe and and and and and		
g. Filing and Examination Fee (\$2450), made payable to "Treasu				ятатев та риог	кс героѕкогу)
17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOL	D BY VARIETY NAME	ONLY, AS A	CLASS OF CERTIFIED SEED (See Section	n 83(a) of the Plan	t Variety Protection Act)?
YES If "yes," answer items 18 and 19 below)	✓ NO		to item (20)		
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIM GENERATIONS?	ITED AS TO NUMBER	OF 19. IF	"YES" TO ITEM 18, WHICH CLASSES O	F PRODUCTION B	EYOND BREEDER SEED?
YES NO		, (F)	FOUNDATION REGISTER		TIFIED
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEE YES (If "yes," give names of countries and dates)	N RELEASED, USED, O	OFFERED FO	R SALE, OR MARKETED IN THE U.S. OF	OTHER COUNTR	E\$?
res [in yes, give names an countries and dates)	, w			,	
21. The applicant(s) declare that a viable sample of basic seed of the varie	etv will be furnished wi	ith application	and will be replenished upon request i	n accordance with	such regulations as may be
applicable, or for a tuber propagated variety a tissue culture will be de		-	The second secon		
Section 41, and is entitled to protection under the provisions of Section	on 42 of the Plant Varie	ty Protection	Act.	new. Cistilici. Ulliic	oriii, and stable as required
Applicant(s) is(are) informed that false representation herein can jeops	ardize protection and r	result in pena	ties.		
SIGNATURE OF APPLICANT (Owner(s))		SIGNATURE	OF APPLICANT (Owner(s))		
Name (Plyses print or type)		Name (Ple	ase print or type)	**	
D. John Grace III			· ····· · · • • • • •		
CAPACITY OR TITLE DAT	E,	CAPACITY	R TITLE		ÎDATE
Soybean Research Coordinator	120/98				
SD-470 (04-95) (Previous editions are to be destroyed)	,		(See reverse for instructions and	information coll	ection burden statement,

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 91B64

Variety 91B64 evolved from a 1994 cross of 9132/7/A1900/6/9304/5/9412/4/A4715/3/9392//9392/40-3-2.

It is an F4-derived variety which was advanced to the F4 generation by modified single seed descent. The F5 progeny row of 91B64 was grown in summer 1996. Subsequently, 91B64 has undergone 2 years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of agronomic performance, multi-race *Phytophthora* resistance and resistance to labeled Roundup Brand herbicides, variety 91B64 was given a commercial number.

One acre of 91B64 (breeders seed) was grown in summer 1997. 70 acres of parent seedstock (foundation seed equivalent) were grown in the winter 1997-1998 and 1860 bushels harvested.

Exhibit B. Statement of Distinctness

Soybean Variety 91B64

Variety 91B64 is most similar to varieties CM176, J145, and 9171. These varieties have purple flowers, tawny pubescence, and yellow seeds with black hila. However, 91B64 is resistant to labeled Roundup brand herbicides while CM176, J145, and 9171 are susceptible.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE **BELTSVILLE, MARYLAND 20705**

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.) NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME Pioneer Hi-Bred International, Inc. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) FOR OFFICIAL USE ONLY 7300 N.W. 62nd Ave., P.O. Box 1004 **PVPO NUMBER** Johnston, IA 50131-1004 Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero on the first box when number is 9 or less (e.g., 0 9). Starred characters ** are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available. 1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2) ★ 2. SEED COAT COLOR: (Mature Seed) 1 = Yellow 2 = Green 4 = Black 3 = Brown5 = Other (Specify) 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 1 = Duli ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17') 🖈 4. SEED SIZE: (Mature Seed) Grams per 100 seeds ★ 5. HILUM COLOR: (Mature Seed) 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify) ★ 6. COTYLEDON COLOR: (Mature Seed) 1 = Yellow ★ 7. SEED PROTEIN PEROXIDASE ACTIVITY: 1 = Low 2 = High★ 8. SEED PROTEIN ELECTROPHORETIC BAND: 1 = Type A (SP1 a) 2 = Type B (SP1 b) ★ 9. HYPOCOTYL COLOR: 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy') 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A') ★ 10. LEAFLET SHAPE: 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Specify)

Page 1 of 4

11. LEAFLET SIZE: 2	prick) 2 = Medium Green ('Corsoy 79'; 'Braxton') ple 3 = White with purple throat win 3 = Black win (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') praxton') 2 = Semi-Determinate ('Will') Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X peted; 1 = Susceptible; 2 = Resistant) province phaseoli var. sojensis)
3	prick) 2 = Medium Green ('Corsoy 79'; 'Braxton') ple 3 = White with purple throat win 3 = Black win (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') praxton') 2 = Semi-Determinate ('Will') Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X peted; 1 = Susceptible; 2 = Resistant) province phaseoli var. sojensis)
3 = Large ('Crawford'; 'Tracy') 12. LEAF COLOR: 3	ple 3 = Medium Green ('Corsoy 79'; 'Braxton') ple 3 = White with purple throat wn 3 = Black wn (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') praxton') 2 = Semi-Determinate ('Will') raxton') 2 = Resistant) raxton') 2 = Resistant ('Amcor'; 'Braxton') electric of the control
3	ple 3 = White with purple throat 3 = Black Mn (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') ('Taxton') 2 = Semi-Determinate ('Will') ('Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X (sted; 1 = Susceptible; 2 = Resistant) (c) (d) (es) (o) (o) (es) (o) (o) (o) (o) (o) (o) (o) (
# 13. FLOWER COLOR: 2 1 = White 2 = Purple 3 = White with purple throat ★ 14. POD COLOR: 2 1 = Tan 2 = Brown 3 = Black ★ 15. PLANT PUBESCENCE COLOR: 2 1 = Gray 2 = Brown (Tawny) 16. PLANT TYPES: 3 1 = Slender ("Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') ★ 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') ★ 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	ple 3 = White with purple throat 3 = Black Mn (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') ('Taxton') 2 = Semi-Determinate ('Will') ('Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X (sted; 1 = Susceptible; 2 = Resistant) (c) (d) (es) (o) (o) (es) (o) (o) (o) (o) (o) (o) (o) (
2 1 = White 2 = Purple 3 = White with purple throat ★ 14. POD COLOR:	wn (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') raxton') 2 = Semi-Determinate ('Will') Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X sted; 1 = Susceptible; 2 = Resistant) ronas phaseoli var. sojensis) ronas glycinea) ci) res) rora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
★ 14. POD COLOR: 2 1 = Tan 2 = Brown 3 = Black ★ 15. PLANT PUBESCENCE COLOR: 2 1 = Gray 2 = Brown (Tawny) 16. PLANT TYPES: 3 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') ★ 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') ★ 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	wn (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') raxton') 2 = Semi-Determinate ('Will') Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X sted; 1 = Susceptible; 2 = Resistant) ronas phaseoli var. sojensis) ronas glycinea) ci) res) rora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
2 1= Tan 2 = Brown 3 = Black ★ 15. PLANT PUBESCENCE COLOR: 2 1= Gray 2 = Brown (Tawny) 16. PLANT TYPES: 3 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') ★ 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') ★ 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	Ann (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') (raxton') 2 = Semi-Determinate ('Will') (Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V (I = VIII 12 = IX 13 = X (I = Susceptible; 2 = Resistant) (I = Susceptible; 2 = Resi
★ 15. PLANT PUBESCENCE COLOR: 2 1 = Gray 2 = Brown (Tawny) 16. PLANT TYPES: 3 1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan') ★ 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') ★ 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	Ann (Tawny) 71') 2 = Intermediate ('Amcor'; 'Braxton') (raxton') 2 = Semi-Determinate ('Will') (Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V (I = VIII 12 = IX 13 = X (I = Susceptible; 2 = Resistant) (I = Susceptible; 2 = Resi
2	71') 2 = Intermediate ('Amcor'; 'Braxton') raxton') 2 = Semi-Determinate ('Will') l'Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X sted; 1 = Susceptible; 2 = Resistant) ronas phaseoli var. sojensis) ras glycinea) ci) res) res) rora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
16. PLANT TYPES: 3 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') * 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') * 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X * 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: * 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) * 1 Bacterial Blight (Pseudomonas glycinea) * Wildfire (Pseudomonas tabaci)	71') 2 = Intermediate ('Amcor'; 'Braxton') raxton') 2 = Semi-Determinate ('Will') l'Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X sted; 1 = Susceptible; 2 = Resistant) ronas phaseoli var. sojensis) ras glycinea) ci) res) rora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
3 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') * 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Wili') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') * 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X * 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: * 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) * 1 Bacterial Blight (Pseudomonas glycinea) * Wildfire (Pseudomonas tabaci)	raxton') 2 = Semi-Determinate ('Will') Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) conas phaseoli var. sojensis) mas glycinea) ci) es) ora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
3 = Bushy ('Gnome'; 'Govan') * 17. PLANT HABIT: 3	raxton') 2 = Semi-Determinate ('Will') Improved Pelican') = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) conas phaseoli var. sojensis) mas glycinea) ci) es) ora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
18. MATURITY GROUP: 18. MATURITY GROUP: 19. VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) Bacterial Pustule (Xanthomonas phaseoli var. sojensis) 10. Wildfire (Pseudomonas tabaci)	Improved Pelican') = 0
3 = Indeterminate ('Nebsoy'; 'Improved Pelican') ★ 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	Improved Pelican') = 0
3 = Indeterminate ('Nebsoy'; 'Improved Pelican') ★ 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	Improved Pelican') = 0
★ 18. MATURITY GROUP: 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: 10 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) 11 Bacterial Blight (Pseudomonas glycinea) 12 Wildfire (Pseudomonas tabaci)	e 0 4 = I 5 = II 6 = III 7 = IV 8 = V e = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) conas phaseoli var. sojensis) nas glycinea) ci) ci) ci) Race 3 0 Race 4 0 Race 5 Other (Specify)
1	ested; 1 = Susceptible; 2 = Resistant) sonas phaseoli var. sojensis) nas glycinea) ci) ess) ora sojina) O Race 3 O Race 4 O Race 5 Other (Specify)
1 = 000 2 = 00 3 = 0 4 = 1 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	ested; 1 = Susceptible; 2 = Resistant) sonas phaseoli var. sojensis) nas glycinea) ci) ess) ora sojina) O Race 3 O Race 4 O Race 5 Other (Specify)
 ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci) 	ested; 1 = Susceptible; 2 = Resistant) nonas phaseoli var. sojensis) nas glycinea) ci) nes) pora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
BACTERIAL DISEASES: ** 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ** 1 Bacterial Blight (Pseudomonas glycinea) ** 0 Wildfire (Pseudomonas tabaci)	nonas phaseoli var. sojensis) nas glycinea) ci) nes) pora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	nas glycinea) ci) nes) pora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (Pseudomonas glycinea) ★ 0 Wildfire (Pseudomonas tabaci)	nas glycinea) ci) nes) pora sojina) 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
★ 0 Wildfire (Pseudomonas tabaci)	ci) nes) pora sojina) O Race 3 O Race 4 O Race 5 Other (Specify)
	oora sojina) O Race 3 O Race 4 O Race 5 Other (Specify)
	O Race 3 Race 4 Race 5 Other (Specify)
FUNGAL DISEASES:	O Race 3 Race 4 Race 5 Other (Specify)
Brown Spot (Septoria glycines)	0 Race 3 0 Race 4 0 Race 5 Other (Specify)
Frogeye Leaf Spot (Cercospora sojina)	0 Race 3 0 Race 4 0 Race 5 Other (Specify)
Race 1 Race 2 Race 3 Race 4 Race 5 Other (Specify)	
Target Spot (Corynespora cassiicola)	ssiicola)
Downy Mildew (Peronospora trifoliorum var. manshurica)	trifoliorum var. manshurica)
Powdery Mildew (Microsphaera diffusa)	ra diffusa)
★ 0 Brown Stem Rot (Cephalosporium gregatum)	
	orium gregatum)

FORM LMGS-470-57 (6-83)

age 2 of

19. DIS	EASES REACTION: (Enter 0 = Not Tested; 1 = Susceptib	ole; 2 = Resistant) (Continued)	
F	UNGAL DISEASES: (Co	ntinued)		
* 1	Pod and Stem Blight	(Diaporthe phaseolorum var; sojae)		
0	Purple Seed Stain (Cercospora kikuchii)		
	Rhizoctonia Root Rot	(Rhizoctonia solani)		
	Phytophthora Rot (F	Phytophthora megasperma var. sojae)		
★ 2	Race 1 0 Rac	e 2 2 Race 3 0 Race 4	1 Race 5 0 Race 6	Race 7
0	Race 8 0 Race	e 9 Other (Specify)		
, <u>v</u>	TRAL DISEASES:			
1	Bud Blight (Tobacco	Ringspot Virus)		
1	Yellow Mosaic (Bean	Yellow Mosaic Virus)		
* 1	Cowpea Mosaic (Cow	pea Chlorotic Virus)		
1	Pod Mottle (Bean Pod	Mottle Virus)		
★ 1	Seed Mottle (Soybean	Mosaic Virus)		
N	EMATODE DISEASES:			
	Soybean Cyst Nemato	de (Heterodera glycines)		
* [0	Race 1 U Race	2 1 Race 3 0 Race 4	Other (Specify)	
0	Lance Nematode <i>(Hop</i>	lolaimus Colombus)		
★ 0	Southern Root Knot No	ematode (Meloidogyne incognita)		
* 0	Northern Root Knot No	ematode (Meloidogyne Hapla)		
0	Peanut Root Knot Nen	natode (Meloidogyne arenaria)		
0	Reniform Nematode (/	Rotylenchulus reniformis)		
	OTHER DISEASE NOT	ON FORM (Specify)		
20. PHYS	SIOLOGICAL RESPON	SES: (ENTER 0 = Not tested, 1 = S	usceptible, 2 = Resistant)	
* 0	Iron Chlorosis on Calca	areois Soil		
2	Other (Specify) Met	<u>tribuzin</u>		
21 INSE	CT REACTION: /ENTE	ER 0 = Not tested, 1 = Susceptible, 2) = Posistant)	
0	Mexican Bean Beetle (z – Neolotality	
	·	· •		
<u> </u>	Potato Leaf Hopper (En	npoasca fabae)	And the second s	
	Other (Specify)			
22. INDIC	ATE WHICH VARIETY	MOST CLOSELY RESEMBLES THA	AT SUBMITTED.	
СНА	RACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant	Shape	9132	Seed Coat Luster	9042
Leaf :	Shape	9132	Seed Size	9182
Leaf (Color	91B01	Seed shape	9061
Leaf S	Size	9132	Seedling Pigmentation	9071

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT TY DAYS LODGING		CM LE	LEAFLI	ET SIZE	SEED CONTENT		SEED SIZE	NO.
	MATURITY		HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD
Submitted 91B64	126	1.8	80.0					15.6	3
Name of Similar Variety 9163	125	2.4	85.6					17.4	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 91B64

In Exhibit C we have identified variety 91B64 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 91B64 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 91B64 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

SD-470-E

(07-97)

(Destroy previous editions)

Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.